

Description

URPR-23203 is a Reactive Polyamide based on dimerized vegetable acid and amines for use as an epoxy curing agent.

Characteristics

- Leads to tough but flexible coatings with excellent water, corrosion and chemical resistances
- Provides good adhesion and mechanical properties

Suggested Application

- Epoxy curing agent for various applications like marine coatings, wall deck enamels and industrial maintenance finishes

Typical Properties

Amine value [mg KOH/g]	240 - 260
Appearance	clear yellow liquid
Colour, Gardner	≤ 10
Viscosity @ 25 °C, Physica, D = 5/s [Pa·s]	4 - 7

Storage

The product should be stored in a cool, dry place in unopened original packaging and should not be exposed to direct sunlight. Typical storage temperatures should be between 15 - 30 °C.

Shelf Life

The product has a shelf life of at least 12 months from the date of manufacture.

Safety

When handling this product, please work according to the advice and information given in the safety data sheet and observe protective and workplace hygiene measures adequate for handling chemicals.

Packaging

180 kg drums.

Disclaimer

This product is currently under development/in scale-up. Listed values are subject to change.