

TECHNICAL DATA SHEET



ATA KİMYA
Best Products, Best Solutions!

Redispersible polymer powder (RDP) MH 6041 is a free-flowed and water-soluble white powder, which is spray-dried by polymer emulsion and after subsequent treatment to keep the stability of powder appearance and character. It can provide excellent adhesion, flexibility and cohesion etc.

Specifications and characteristics

Grade:	MH 6041
Polymer composition:	VAE
Appearance :	white powder
Ash content:	20 - 25
Solid content	≥98.0 %
Bulk density	450 - 550 g/l
pH value:	6 - 8
Particle size:	≥ 80
Min Film -forming temperature	4 ° C

Applications:

Wall putty/Skim coat

Tile Adhesive

Self levelling mortar

EIFS adhesion mortar

General Properties

Increase adhesion strength

Improves workability

Reduce water absorption

Packaging&Storage :

Multi layer paper bag with PE-liner
25kg/bag, 600kg / pallet
Store in cool and dry conditions

Safety

According to EU legislation on dangerous substances and preparations, RDP does not belong to hazardous material. Further information on safety aspects is given in Safety Data Sheet.



Keresteciler San.Sit., Adnan Menderes Bulvarı, No: 76 Sarayköy / Kahramankazan / Ankara / Türkiye , 06980
Tel: (+90) 312 354 72 00 Fax: (+90) 312 354 72 08 E-Mail: info@atakimya.com.tr Web: www.atakimya.com.tr

